



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG M-01810

SEP 21 8 09 AM '99

2522

FILE: 6446.6

LIBRARY: _____

George V. Voinovich
Governor

September 20, 1999

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Approval - Certification Report for A8P2 & A6 Triangle Area

Dear Mr. Reising:

Ohio EPA has reviewed DOE's August 30, 1999 submittal, "Certification Report for Area 8, Phase II and the Area 6 Triangle Area." Ohio EPA approves the report as certifying the areas met the FRLs at the time the samples were collected. Ohio EPA reserves the right to re-examine the certification status of the relevant property areas if, in the opinion of Ohio EPA, the areas have been subjected to re-contamination by airborne releases, contaminated storm water run-on or any similar mechanism.

If you have any questions regarding this letter, please contact me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.



1